

## Uponor Ecoflex additional insert 200

**1007367**

- For concrete core hole or fibre cement pipe
- Part to eliminate radial stress of the casing pipe
- Used with Uponor wall seal PWP



### Application information Uponor Ecoflex additional insert

#### Specification

- All accessories are corrosion resistant.

#### Application

- Ecoflex accessories are designed to complete the assortment in buried installation.

#### Certification

- Approvals should be checked by local responsible person

## Uponor Ecoflex additional insert 200

1007367

**Measurements**

Inner_diameter_di	200
LENGTH_L	65
Outer Diameter_do	300

**Product code**

Item no EAN	4021598100886
Item no GF	35001007367
Item no GTIN	04021598100886
Item no VVS	087916120

**Dimensions**

Item Unit Height	300
Item Unit Length	65
Item Unit Weight	3,44
Item Unit Width	300
Item_UOM	pce

**Packaging**

Packaging GTIN PL1	06414905633296
Packaging Height PL1	115
Packaging Length PL1	305
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,0105225
Packaging Weight PL1	3,582
Packaging Width PL1	300

**Technical data**

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com