


Uponor Vario PLUS distance

1009215

- Manifold single segments for mixed loop connection from top and bottom



Application information Uponor Vario PLUS distance

Specification

- Modular fibre glass reinforced polyamide manifold with 1,3,4,6 loops for connection with basic kit
- Connection right or left with flat sealing or connection from below with optional elbowset
- Supply with lockshield (LS) valve for balancing with adjusting ring or supply with Flowmeter (FM) for balancing
- Shut-off and flow view
- Adjusting ring for balancing without tools
- Prepared places for room name labels
- Return with valves and caps, prepared for actuators
- Loop connection G3/4" eurocone
- Loop pitch 50 mm
- Header pitch 225 mm

Actuator:

- NC (normally closed) = closes without power

Application


- for underfloor heating and cooling
- combineable with actuators MT 30x1,5

Certification

- CE

Uponor Vario PLUS distance

1009215



Product code

Item no EAN	4016203841834
Item no GF	35001009215
Item no GTIN	04016203841834
Item no LVI	2025831
Item no NOBB	41948022
Item no NRF	8362667
Item no RSK	2418977
Item no VVS	087604168

Dimensions

Item Unit Height	5
Item Unit Length	50
Item Unit Weight	0,046
Item Unit Width	15
Item_UOM	pce

Measurements

LENGTH_L	220
Z Measurement h	104
Z Measurement w1	25

Packaging

Packaging GTIN PL1	06414900622226
Packaging GTIN PL3	06414900385176
Packaging GTIN PL4	06414905655946
Packaging Height PL1	20
Packaging Height PL3	55
Packaging Length PL1	50
Packaging Length PL3	155
Packaging Material (number) PL1	04

Packaging Material (number) PL3	21
Packaging Material PL1	plastic film / film plastico
Packaging Material PL3	non-corrugated cardboard / cartone non corrugato
Packaging Material (short) PL1	PELD
Packaging Material (short) PL3	PAP_OTHER
Packaging Quantity PL1	1
Packaging Quantity PL3	40
Packaging Type PL1	Pouch
Packaging Type PL3	Box
Packaging Volume PL1	0,00002
Packaging Volume PL3	0,001321375
Packaging Weight PL1	0,047
Packaging Weight PL3	1,923
Packaging Width PL1	20
Packaging Width PL3	155

Technical data

Recycling Text Block PL1	plastic film / film plastico
Recycling Text Block PL3	non-corrugated cardboard / cartone non corrugato

Documents

[Page with all documents](#)

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com