
Product data sheet



GF Uponor Smart Radi cover plate dividable white 16

1011370

- Made of polypropylene, white
- for Uponor Uni Pipe PLUS and MLC pipes
- Required distance (pipe middle - middle) between two snap rings, e.g. for supply and return of the heating line approx. 50 mm.
- Fire classification E acc. to EN 13501-1.



Application information GF Uponor Smart Radi cover plate dividable white

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces


If not different mentionned:
- Fire-rated cover plates (e.g., EN 13501-1 classes B2 or E depending on model)
- Q&E rings must be ordered separately if not different mentioned

Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

GF Uponor Smart Radi cover plate dividable white 16

1011370



Measurements

Inner_diameter_di	17
Outer Diameter_do	47
Z Measurement h	12

Product code

Item no EAN	4021598700291
Item no GF	35001011370
Item no GTIN	04021598700291
Item no LVI	1724893
Item no VVS	015229116

Dimensions

Item Unit Height	12
Item Unit Length	45
Item Unit Weight	0,003
Item Unit Width	45
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905434787
Packaging GTIN PL2	06414900370615
Packaging GTIN PL4	06414900325684
Packaging Height PL1	105
Packaging Height PL2	360
Packaging Height PL4	1819
Packaging Length PL1	150
Packaging Length PL2	485
Packaging Length PL4	1200

Packaging Quantity PL1	50
Packaging Quantity PL2	1350
Packaging Quantity PL4	27000
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00165375
Packaging Volume PL2	0,061983
Packaging Volume PL4	1,74624
Packaging Weight PL1	0,16
Packaging Weight PL2	4,42
Packaging Weight PL4	113,4
Packaging Width PL1	105
Packaging Width PL2	355
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+