
Product data sheet




GF Uponor Smart Radi cover plate dividable white double 14-20

1011373

- Made of polypropylene white
- for Uponor Uni Pipe PLUS and MLC pipes 14 - 20 mm, to cover floor and/or wall penetration of the radiator connection pipe line
- Required inside micrometer (pipe middle - middle) between two Uponor MLC pipes for supply and return flow: 50 mm. The cascaded penetrations can be severed easily with a knife according to desired pipe dimension.
- The snap ring consists of two halves, which are pressed together with two push buttons by hand
- Fire classification B2 acc. to EN 13501-1.





Application information GF Uponor Smart Radi cover plate dividable white double

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces


If not different mentionned:
- Fire-rated cover plates (e.g., EN 13501-1 classes B2 or E depending on model)
- Q&E rings must be ordered separately if not different mentioned


Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

GF Uponor Smart Radi cover plate dividable white double 14-20

1011373





Measurements

Inner_diameter_di1	20
Inner_diameter_di2	14
LENGTH_L	100
Length (l1)	50
Z Measurement b	50

Product code

Item no EAN	4021598010512
Item no GF	35001011373
Item no GTIN	04021598010512

Dimensions

Item Unit Height	22
Item Unit Length	100
Item Unit Weight	0,008
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905423897
Packaging GTIN PL3	06414905423903
Packaging GTIN PL4	06414905423910
Packaging Height PL1	100
Packaging Height PL3	330
Packaging Height PL4	850
Packaging Length PL1	400
Packaging Length PL3	515
Packaging Length PL4	1200

Packaging Quantity PL1	50
Packaging Quantity PL3	500
Packaging Quantity PL4	4000
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,012
Packaging Volume PL3	0,04503675
Packaging Volume PL4	0,816
Packaging Weight PL1	0,43
Packaging Weight PL3	4,9
Packaging Weight PL4	35,2
Packaging Width PL1	300
Packaging Width PL3	265
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+