


Uponor MLC white S 110x10,0 5m

1013457

- bar
- High dimensional stability, low expansion rates
- Increased flexibility
- 100% oxygen barrier



Application information Uponor MLC white S

Specification

- Oxygen diffusion resistant multi-layer composite pipe (PE-RT - adhesive - longitudinally welded aluminium - adhesive - PE-RT)
- Fire classification E according to EN 13501-1.
- With pipe end caps as hygienic seal according to EN 806.

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

Certification

- Approvals by local OM.
- E.g.
- DVGW
 - AENOR

Uponor MLC white S 110x10,0 5m

1013457



Product code

Item no EAN	4021598012608
Item no GF	35001013457
Item no GTIN	04021598012608
Item no LVI	1720112
Item no NOBB	48328072
Item no NRF	5071335
Item no RSK	1875493
Item no VVS	087306191

Dimensions

Item Unit Height	110
Item Unit Length	1000
Item Unit Weight	3,66
Item Unit Width	110
Item_UOM	m

Measurements

Outer Diameter_do	110
Wall thickness_s	10

Packaging

Packaging GTIN PL1	06414900623711
Packaging GTIN PL2	06414905423507
Packaging GTIN PL4	06414905257119
Packaging Height PL1	110
Packaging Height PL2	140
Packaging Height PL4	760
Packaging Length PL1	5000
Packaging Length PL2	5070
Packaging Length PL4	5080

Packaging Quantity PL1	5
Packaging Quantity PL2	5
Packaging Quantity PL4	165
Packaging Type PL1	Bar
Packaging Type PL2	Cover_Pipe
Packaging Type PL4	Wooden_Cage
Packaging Volume PL1	0,0605
Packaging Volume PL2	0,099372
Packaging Volume PL4	4,43992
Packaging Weight PL1	18,3
Packaging Weight PL2	25,3
Packaging Weight PL4	880
Packaging Width PL1	110
Packaging Width PL2	140
Packaging Width PL4	1150

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com