
Product data sheet




GF Uponor Smart Radi adapter sealed MT G3/4"-G1/2"

1013906

- Made of coated brass
- self-sealing
- For the connection of radiators with 1/2 female thread connectors, 3/4 male thread eurocone for the connection of Cu-pipe, 15 x 1 mm, with clamp compression adapter.





Application information GF Uponor Smart Radi adapter sealed MT

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces


If not different mentionned:
- Fire-rated cover plates (e.g., EN 13501-1 classes B2 or E depending on model)
- Q&E rings must be ordered separately if not different mentioned


Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

GF Uponor Smart Radi adapter sealed MT G3/4"-G1/2"

1013906





Measurements

Cylindric_thread_G	3/4
Cylindric_thread_G1	1/2
LENGTH_L	33,5

Product code

Item no EAN	4021598701878
Item no GF	35001013906
Item no GTIN	04021598701878
Item no LVI	2022895

Dimensions

Item Unit Height	29
Item Unit Length	24
Item Unit Weight	0,048
Item Unit Width	24
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905435296
Packaging GTIN PL3	06414905445295
Packaging GTIN PL4	06414905488810
Packaging Height PL1	120
Packaging Height PL3	120
Packaging Height PL4	800
Packaging Length PL1	70
Packaging Length PL3	228
Packaging Length PL4	1200
Packaging Quantity PL1	10

Packaging Quantity PL3	80
Packaging Quantity PL4	4800
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0002688
Packaging Volume PL3	0,0043776
Packaging Volume PL4	0,768
Packaging Weight PL1	0,53
Packaging Weight PL3	4,34
Packaging Weight PL4	285,4
Packaging Width PL1	32
Packaging Width PL3	160
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+