


Uponor Ecoflex wall sleeve set NPW 175+200

1018268

- For concrete-cast and brick walls
- Applicable for NWP = no pressurized water area
- Contain PE pipe and shrink sleeve



Application information Uponor Ecoflex wall sleeve set NPW

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex wall sleeve set NPW 175+200

1018268



Measurements

Inner_diameter_di	218
LENGTH_L	550
Outer Diameter_do	250

Product code

Item no EAN	6414905254033
Item no GF	35001018268
Item no GTIN	06414905254033
Item no LVI	3010620
Item no NRF	8360922
Item no RSK	2282158
Item no VVS	087913248

Dimensions

Item Unit Height	250
Item Unit Length	550
Item Unit Weight	1,665
Item Unit Width	250
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900507844
Packaging Height PL1	250
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,034375
Packaging Weight PL1	1,697
Packaging Width PL1	250

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com