


## Uponor Radi Pipe natural PN6 25x2,3 50m

**1022689**

- Operating pressure 6 bar
- Coil



### Application information Uponor Radi Pipe natural PN6

#### Specification


- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- Application class 5 - high temperature radiators
- Fire classification E according to DIN EN 13501-1.

#### Application

- Heating: The permanent operating temperature ranges up to 90°C. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

## Uponor Radi Pipe natural PN6 25x2,3 50m

1022689

**Product code**

|              |                |
|--------------|----------------|
| Item no EAN  | 7321500033200  |
| Item no GF   | 35001022689    |
| Item no GTIN | 07321500033200 |
| Item no LVI  | 2012125        |
| Item no NOBB | 48326112       |
| Item no NRF  | 8362303        |
| Item no RSK  | 2418021        |

**Dimensions**

|                  |       |
|------------------|-------|
| Item Unit Height | 20    |
| Item Unit Length | 1000  |
| Item Unit Weight | 0,186 |
| Item Unit Width  | 20    |
| Item_UOM         | m     |

**Measurements**

|                   |     |
|-------------------|-----|
| Outer Diameter_do | 25  |
| Wall thickness_s  | 2,3 |

**Packaging**

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905260706 |
| Packaging GTIN PL4     | 06414905260713 |
| Packaging Height PL1   | 120            |
| Packaging Height PL4   | 800            |
| Packaging Length PL1   | 800            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 50             |
| Packaging Quantity PL4 | 450            |
| Packaging Type PL1     | Base_Box       |
| Packaging Type PL4     | Pallet         |

|                      |         |
|----------------------|---------|
| Packaging Volume PL1 | 0,07488 |
| Packaging Volume PL4 | 0,768   |
| Packaging Weight PL1 | 9,77    |
| Packaging Weight PL4 | 111,93  |
| Packaging Width PL1  | 780     |
| Packaging Width PL4  | 800     |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com