Product data sheet





GF Uponor Q&E manifold PL MT/FT 3/4" 4x16 c/c35

1023029

- Made of DR brass (lead-free)







Application information GF Uponor Q&E manifold PL MT/FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E manifold PL MT/FT 3/4" 4x16 c/c35

1023029



Measurements

Cylindric_thread_G	0,75
Female thread Rp	0,75
LENGTH_L	159
Length (l1)	26,5
Length (l2)	27,5
Length (l3)	34,5
Z Measurement b	35
z1	14,5
Z2	9,4

Product code

Item no EAN	7331541132695
Item no GF	35001023029
Item no GTIN	07331541132695

Dimensions

Item Unit Height	30
Item Unit Length	158
Item Unit Weight	0,332
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905261505
Packaging GTIN PL3	06414905261512
Packaging GTIN PL4	06414905261529
Packaging Height PL1	30
Packaging Height PL3	140

Packaging Height PL4	684
Packaging Length PL1	160
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	960
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00024
Packaging Volume PL3	0,004725
Packaging Volume PL4	0,65664
Packaging Weight PL1	0,335
Packaging Weight PL3	3,415
Packaging Weight PL4	327,84
Packaging Width PL1	50
Packaging Width PL3	135
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+