


Uponor Smart Aqua tap elbow Q&E PL 16-Rp1/2"FT l=43mm

1023034

- Made of brass
- Q&E rings must be ordered separately



Application information Uponor Smart Aqua tap elbow Q&E PL

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E joining technologies

if not different mentioned:


- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

Uponor Smart Aqua tap elbow Q&E PL 16-Rp1/2"FT l=43mm

1023034

**Measurements**

Female thread Rp	0,5
Length (l1)	32
Length (l2)	16,5
Length (l3)	26,5
Z Measurement k	36
z1	14
z2	9,7

Product code

Item no EAN	7331541183765
Item no GTIN	07331541183765
Item Replacement 1	1145641

Dimensions

Item Unit Height	43
Item Unit Length	43
Item Unit Weight	0,102
Item Unit Width	48
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905261536
Packaging GTIN PL3	06414905261543
Packaging GTIN PL4	06414905261550
Packaging Height PL1	50
Packaging Height PL3	95
Packaging Height PL4	570
Packaging Length PL1	120
Packaging Length PL3	277
Packaging Length PL4	1120

Packaging Quantity PL1	5
Packaging Quantity PL3	40
Packaging Quantity PL4	3840
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00048
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,512
Packaging Weight PL3	4,196
Packaging Weight PL4	412,816
Packaging Width PL1	80
Packaging Width PL3	179
Packaging Width PL4	748
Status	
Until stocks last	Until stocks last

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com