
Product data sheet




GF Uponor RS adapter male thread R2"MT-RS2

1029131

- Made of tin-plated DR brass (lead-free)
- Fits to all RS2 or RS3 base parts





Application information GF Uponor RS adapter male thread

Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:
- Male and female threads acc.to EN 10226-1.


Certification


- Approvals by local OM.

E.g.
- DVGW
- AENOR

GF Uponor RS adapter male thread R2"MT-RS2

1029131





Product code

Item no EAN	4021598106680
Item no GF	35001029131
Item no GTIN	04021598106680
Item no LVI	1720826
Item no NRF	5071237
Item no RSK	1899491
Item no VVS	045451112

Dimensions

Item Unit Height	65
Item Unit Length	67
Item Unit Weight	0,486
Item Unit Width	65
Item_UOM	pce

Measurements

LENGTH_L	66
Length (l1)	20
Length (l2)	23,4
Male_thread_R	2
z1	22,6

Packaging

Packaging GTIN PL1	06414905523283
Packaging GTIN PL4	06414905523290
Packaging Height PL1	95
Packaging Height PL4	680
Packaging Length PL1	120

Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone
Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	1
Packaging Quantity PL4	480
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0011172
Packaging Volume PL4	0,6527999999999999
Packaging Weight PL1	0,547
Packaging Weight PL4	287,56
Packaging Width PL1	98
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	corrugated cardboard / cartone

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+