
Product data sheet




GF Uponor RS adapter male thread R2 1/2"MT-RS2

1029132

- Made of tin-plated DR brass (lead-free)
- Fits to all RS2 or RS3 base parts





Application information GF Uponor RS adapter male thread

Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:
- Male and female threads acc.to EN 10226-1.


Certification


- Approvals by local OM.

E.g.
- DVGW
- AENOR

GF Uponor RS adapter male thread R2 1/2"MT-RS2

1029132





Product code

Item no EAN	4021598106697
Item no GF	35001029132
Item no GTIN	04021598106697
Item no LVI	1720827
Item no NRF	5071238
Item no RSK	1899492
Item no VVS	045451167

Dimensions

Item Unit Height	65
Item Unit Length	74
Item Unit Weight	0,55
Item Unit Width	74
Item_UOM	pce

Measurements

LENGTH_L	62,8
Length (l1)	20
Length (l2)	27,1
Male_thread_R	2 1/2
z1	15,7

Packaging

Packaging GTIN PL1	06414905439416
Packaging GTIN PL4	06414905491322
Packaging Height PL1	85
Packaging Height PL4	680
Packaging Length PL1	117

Packaging Length PL4	1200
Packaging Material (number) PL1	21
Packaging Material PL1	non-corrugated cardboard / cartone non corrugato
Packaging Material (short) PL1	PAP_OTHER
Packaging Quantity PL1	1
Packaging Quantity PL4	480
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0009945
Packaging Volume PL4	0,6527999999999999
Packaging Weight PL1	0,610
Packaging Weight PL4	317,8
Packaging Width PL1	100
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	non-corrugated cardboard / cartone non corrugato

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+