
# Product data sheet



# GF Uponor RS adapter female thread Rp1"FT-RS2

## 1029134

- Made of tin-plated DR brass (lead-free)
- its to all RS2 or RS3 base parts




## Application information GF Uponor RS adapter female thread

### Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:
- Male and female threads acc.to EN 10226-1.


### Certification

- Approvals by local OM.

E.g.
- DVGW
- AENOR

# GF Uponor RS adapter female thread Rp1"FT-RS2

## 1029134




### Measurements

| | |
|---|---|
| Female thread Rp | 1 |
| LENGTH_L | 44,9 |
| Length (l1) | 20 |
| Length (l2) | 19,1 |
| z1 | 5,8 |

### Product code

| | |
|---|---|
| Item no EAN | 4021598106710 |
| Item no GF | 35001029134 |
| Item no GTIN | 04021598106710 |
| Item no LVI | 1720829 |
| Item no NRF | 5071241 |
| Item no RSK | 1899494 |
| Item no VVS | 045452165 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 45 |
| Item Unit Length | 64 |
| Item Unit Weight | 0,316 |
| Item Unit Width | 64 |
| Item_UOM | pce |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414905523306 |
| Packaging GTIN PL4 | 06414905523313 |
| Packaging Height PL1 | 80 |
| Packaging Height PL4 | 680 |
| Packaging Length PL1 | 120 |

| | |
|---|---|
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 480 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00096 |
| Packaging Volume PL4 | 0,6528 |
| Packaging Weight PL1 | 0,371 |
| Packaging Weight PL4 | 178,1 |
| Packaging Width PL1 | 100 |
| Packaging Width PL4 | 800 |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+