
Product data sheet



GF Uponor Smart Aqua term. box, empty Q&E SP 34/28 42/36

1038470

- For plastic tap elbow



Application information GF Uponor Smart Aqua term. box, empty Q&E SP

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies


if not different mentioned:
- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

GF Uponor Smart Aqua term. box, empty Q&E SP 34/28 42/36

1038470



Product code

Item no EAN	7321500055660
Item no GF	35001038470
Item no GTIN	07321500055660

Dimensions

Item Unit Height	45
Item Unit Length	130
Item Unit Weight	0,056
Item Unit Width	55
Item_UOM	pce

Measurements

LENGTH_L	150
Outer Diameter_do	35
Z Measurement b	50
Z Measurement h	45

Packaging

Packaging GTIN PL1	06414905458745
Packaging GTIN PL3	06414905448135
Packaging GTIN PL4	06414905492237
Packaging Height PL1	115
Packaging Height PL3	475
Packaging Height PL4	2200
Packaging Length PL1	270
Packaging Length PL3	500
Packaging Length PL4	1200
Packaging Quantity PL1	10

Packaging Quantity PL3	200
Packaging Quantity PL4	4000
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,011799
Packaging Volume PL3	0,0855
Packaging Volume PL4	2,112
Packaging Weight PL1	0,564
Packaging Weight PL3	12,46
Packaging Weight PL4	274,2
Packaging Width PL1	380
Packaging Width PL3	360
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+