


## Uponor S-Press reducer 40-25

**1046930**

- Made of tin-plated brass
- Fast installation with easy bevel and without calibration
- Colour code



### Application information Uponor S-Press reducer

#### Specification

- with fixed press sleeve
- stop ring
- test safety

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

- if not different mentioned:

Male and female threads acc.to EN 10226-1.

#### Certification


- Approvals by local OM.

E.g.

- DVGW
- AENOR

## Uponor S-Press reducer 40-25

1046930



## Status

Item Available Till date

2026-12-31T00:00:00.000+0100

## Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598114272  |
| Item no GF   | 35001046930    |
| Item no GTIN | 04021598114272 |
| Item no VVS  | 045480417      |

## Dimensions

|                  |      |
|------------------|------|
| Item Unit Height | 80   |
| Item Unit Length | 42   |
| Item Unit Weight | 0,19 |
| Item Unit Width  | 42   |
| Item_UOM         | pce  |

## Measurements

|             |      |
|-------------|------|
| LENGTH_L    | 81,2 |
| Length (l1) | 37,9 |
| Length (l2) | 30,3 |
| z1          | 13   |

## Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905460700 |
| Packaging GTIN PL4     | 06414905493517 |
| Packaging Height PL1   | 89             |
| Packaging Height PL4   | 678            |
| Packaging Length PL1   | 176            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 5              |
| Packaging Quantity PL4 | 960            |
| Packaging Type PL1     | Base_Box       |

|                      |            |
|----------------------|------------|
| Packaging Type PL4   | Pallet     |
| Packaging Volume PL1 | 0,00211464 |
| Packaging Volume PL4 | 0,65088    |
| Packaging Weight PL1 | 0,989      |
| Packaging Weight PL4 | 209,224    |
| Packaging Width PL1  | 135        |
| Packaging Width PL4  | 800        |

Documents

Page with all documents



**Uponor Corporation**

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com