
Product data sheet



GF Uponor Uni-X compression adapter MLC 16-3/4"FT Euro

1058090

- Compression adapter, union nut and inner sleeve Made of DR brass (lead-free)
- Compression adapter, union nut and inner sleeve
- Made of DR brass (lead-free)
- For connection of Uponor Uni Pipe PLUS and MLC pipes to manifolds (eg. Uponor manifold H).
- Female thread 3/4" eurocone according to EN ISO 228-1
- No bevel.



Application information GF Uponor Uni-X compression adapter MLC

Specification


- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation

Application

- Distribution of heating water for radiator connections
- Connection of multilayer composite (MLC) and PEX pipes
- Adaptation to radiator valves, manifolds and compression fitting bodies
- Use in potable water and heating systems

GF Uponor Uni-X compression adapter MLC 16-3/4"FT Euro

1058090



Measurements

Cylindric_thread_G	0,75
LENGTH_L	22,5
Length (l1)	13
Length (l2)	8,4
z1	3

Product code

Item no EAN	4021598119673
Item no GF	35001058090
Item no GTIN	04021598119673
Item no LVI	1720676
Item no NOBB	48505202
Item no NRF	5071443
Item no RSK	1882155
Item no VVS	045467616

Dimensions

Item Unit Height	30
Item Unit Length	22
Item Unit Weight	0,062
Item Unit Width	30
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905409365
Packaging GTIN PL3	06414905409372
Packaging GTIN PL4	06414905409389
Packaging Height PL1	30

Packaging Height PL3	89
Packaging Height PL4	570
Packaging Length PL1	50
Packaging Length PL3	176
Packaging Length PL4	1120
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Quantity PL4	2400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000045
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,063
Packaging Weight PL3	1,589
Packaging Weight PL4	162,97
Packaging Width PL1	30
Packaging Width PL3	135
Packaging Width PL4	748

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+