
Product data sheet



GF Uponor Smart Aqua U-tap elbow Q&E 16-Rp1/2"FT-16

1059820

- Made of DR brass (lead-free)
- U elbow for loop installation



Application information GF Uponor Smart Aqua U-tap elbow Q&E

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies


if not different mentioned:
- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

GF Uponor Smart Aqua U-tap elbow Q&E 16-Rp1/2"FT-16

1059820



Measurements

Female thread Rp	1/2
Length (l1)	51,5
Length (l2)	20
Length (l3)	20
Z Measurement b	45
Z Measurement k	40
z1	33,5
Z2	5

Product code

Item no EAN	4021598122666
Item no GF	35001059820
Item no GTIN	04021598122666

Dimensions

Item Unit Height	40
Item Unit Length	75
Item Unit Weight	0,213
Item Unit Width	67
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905463725
Packaging GTIN PL2	06414905479740
Packaging GTIN PL4	06414905479757
Packaging Height PL1	45
Packaging Height PL2	89
Packaging Height PL4	708

Packaging Length PL1	90
Packaging Length PL2	176
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5
Packaging Quantity PL4	960
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0002754
Packaging Volume PL2	0,00211464
Packaging Volume PL4	0,67968
Packaging Weight PL1	0,219
Packaging Weight PL2	1,166
Packaging Weight PL4	250
Packaging Width PL1	68
Packaging Width PL2	135
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+