
Product data sheet



GF Uponor Smart Aqua tap elbow Q&E PL 16-Rp1/2"FT

1059822

- Made of DR brass (lead-free)



Application information GF Uponor Smart Aqua tap elbow Q&E PL

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies


if not different mentioned:
- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

GF Uponor Smart Aqua tap elbow Q&E PL 16-Rp1/2"FT

1059822



Measurements

Female thread Rp	1/2
Length (l1)	35
Length (l2)	17
Length (l3)	23
z1	17
Z2	8

Product code

Item no EAN	4021598121621
Item no GF	35001059822
Item no GTIN	04021598121621
Item no VVS	045332116

Dimensions

Item Unit Height	50
Item Unit Length	65
Item Unit Weight	0,142
Item Unit Width	45
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905526611
Packaging GTIN PL3	06414905526628
Packaging GTIN PL4	06414905526635
Packaging Height PL1	70
Packaging Height PL3	95
Packaging Height PL4	570
Packaging Length PL1	130

Packaging Length PL3	277
Packaging Length PL4	1120
Packaging Quantity PL1	5
Packaging Quantity PL3	40
Packaging Quantity PL4	3840
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000819
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,74
Packaging Weight PL3	5,98
Packaging Weight PL4	576,922
Packaging Width PL1	90
Packaging Width PL3	179
Packaging Width PL4	748

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+