
Product data sheet




GF Uponor Smart Aqua tap elbow Q&E PL 20-Rp1/2"FT

1059823

- Made of DR brass (lead-free)





Application information GF Uponor Smart Aqua tap elbow Q&E PL

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies


if not different mentioned:
- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately


Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

GF Uponor Smart Aqua tap elbow Q&E PL 20-Rp1/2"FT

1059823





Measurements

Female thread Rp	1/2
Length (l1)	39
Length (l2)	17,5
Length (l3)	23
z1	17
Z2	8

Product code

Item no EAN	4021598121638
Item no GF	35001059823
Item no GTIN	04021598121638

Dimensions

Item Unit Height	52
Item Unit Length	72
Item Unit Weight	0,146
Item Unit Width	41
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905463749
Packaging GTIN PL3	06414905449651
Packaging GTIN PL4	06414905555529
Packaging Height PL1	70
Packaging Height PL3	92
Packaging Height PL4	396
Packaging Length PL1	130
Packaging Length PL3	275

Packaging Length PL4	800
Packaging Quantity PL1	5
Packaging Quantity PL3	40
Packaging Quantity PL4	1920
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000819
Packaging Volume PL3	0,0044781
Packaging Volume PL4	0,38016
Packaging Weight PL1	0,84
Packaging Weight PL3	6,82
Packaging Weight PL4	347,36
Packaging Width PL1	90
Packaging Width PL3	177
Packaging Width PL4	1200

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+