


Uponor Ecoflex elbow insulation set 200/175/140

1060985

- Elbow set for connecting the casing pipe
- ABS half sheels with insulation and reducer
- Traffic load of 60 tons



Application information Uponor Ecoflex elbow insulation set

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex elbow insulation set 200/175/140

1060985



Measurements

Inner_diameter_di1	200
Inner_diameter_di2	175
Inner_diameter_di3	140
LENGTH_L	806
Length (I1)	562,5
Length (I2)	562,5

Product code

Item no EAN	6414905202683
Item no GF	35001060985
Item no GTIN	06414905202683
Item no LVI	3010402
Item no NOBB	47288780
Item no NRF	8360832
Item no RSK	2190472
Item no VVS	087910802

Dimensions

Item Unit Height	840
Item Unit Length	830
Item Unit Weight	10,6
Item Unit Width	310
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905464111
Packaging GTIN PL4	06414905495917
Packaging Height PL1	335
Packaging Height PL4	900
Packaging Length PL1	1170

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	3
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,3096405
Packaging Volume PL4	0,864
Packaging Weight PL1	10,8
Packaging Weight PL4	41
Packaging Width PL1	790
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com