
Product data sheet




GF Uponor Q&E adapter DR FT 20-Rp1/2"

1063739

- Dezincification-resistant brass
- Cylindrical female thread DIN EN 10226-1
- Q&E rings must be ordered separately





Application information GF Uponor Q&E adapter DR FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E adapter DR FT 20-Rp1/2"

1063739





Measurements

Female thread Rp	0,5
LENGTH_L	44
Length (l1)	15
Length (l2)	22
z1	7

Product code

Item no EAN	4021598127111
Item no GTIN	04021598127111
Item no NRF	5111266

Dimensions

Item Unit Height	30
Item Unit Length	45
Item Unit Weight	0,079
Item Unit Width	30
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905413904
Packaging GTIN PL3	06414905413911
Packaging GTIN PL4	06414905413928
Packaging Height PL1	75
Packaging Height PL3	95
Packaging Height PL4	714
Packaging Length PL1	130
Packaging Length PL3	277
Packaging Length PL4	1200

Packaging Quantity PL1	5
Packaging Quantity PL3	60
Packaging Quantity PL4	5760
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0002925
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,68544
Packaging Weight PL1	0,4
Packaging Weight PL3	4,88
Packaging Weight PL4	493,48
Packaging Width PL1	30
Packaging Width PL3	179
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+