

Product data sheet



GF Uponor Smart Aqua tap elbow Q&E DR M 16-1/2"

1063871





Application information GF Uponor Smart Aqua tap elbow Q&E DR M

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies


if not different mentioned:
- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately


Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

GF Uponor Smart Aqua tap elbow Q&E DR M 16-1/2"

1063871





Measurements

Female thread Rp	0,5
Length (l1)	39
Length (l2)	20
Length (l3)	20
z1	21
Z2	5

Product code

Item no EAN	4021598127685
Item no GF	35001063871
Item no GTIN	04021598127685
Item Replacement 1	1059822

Dimensions

Item Unit Height	42
Item Unit Length	63
Item Unit Weight	0,14
Item Unit Width	51
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905414888
Packaging GTIN PL3	06414905414895
Packaging GTIN PL4	06414905414901
Packaging Height PL1	100
Packaging Height PL3	95
Packaging Height PL4	570
Packaging Length PL1	130

Packaging Length PL3	277
Packaging Length PL4	1120
Packaging Quantity PL1	5
Packaging Quantity PL3	40
Packaging Quantity PL4	3840
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00078
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,701
Packaging Weight PL3	5,7
Packaging Weight PL4	547,632
Packaging Width PL1	60
Packaging Width PL3	179
Packaging Width PL4	748

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+