


Uponor Vario compression adapter PEX 14x2,0-G3/4"FT Euro

1065283

- Eurocone
- Brass



Application information Uponor Vario compression adapter PEX

Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

Application

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

Uponor Vario compression adapter PEX 14x2,0-G3/4"FT Euro

1065283



Measurements

Cylindric_thread_G	0,75
LENGTH_L	22,5
Length (l1)	12,9
Wall thickness_s	2,0
z1	3,2

Product code

Item no EAN	4021598127869
Item no GF	35001065283
Item no GTIN	04021598127869
Item no NRF	8361271

Dimensions

Item Unit Height	34
Item Unit Length	23
Item Unit Weight	0,066
Item Unit Width	34
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905415304
Packaging GTIN PL3	06414905415328
Packaging GTIN PL4	06414905415335
Packaging Height PL1	36
Packaging Height PL3	89
Packaging Height PL4	570
Packaging Length PL1	25
Packaging Length PL3	176
Packaging Length PL4	1120
Packaging Quantity PL1	1

Packaging Quantity PL3	25
Packaging Quantity PL4	2400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0000324
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,067
Packaging Weight PL3	1,689
Packaging Weight PL4	171,821
Packaging Width PL1	36
Packaging Width PL3	135
Packaging Width PL4	748

Documents

Page with all documents

↓

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com