


Uponor Fluvia Move pump group MPG-10-A-W

1078306

- Pumpgroup pre-mounted with supply temperature controller Uponor Smatrix Move
- Outdoor temperature sensor (for installation on buildingsite)
- Water temperature sensor for supply temperature
- 3-way-mixing valve
- Motor drive
- Proportional pressure control
- Upgrade to heating/cooling possible
- For weather compensated supply water temperature control
- Max. primary temperature: 90°C
- Max. secondary temperature: 55°C
- Ball valve + balancing valve primary
- Secondary connection G1 (MT)
- For installation left or right of manifold



Application information Uponor Fluvia Move pump group MPG-10-A-W

Specification


- Pumpgroup pre-mounted with supply temperature controller Uponor Smatrix Move
- Outdoor temperature sensor (for installation on buildingsite)
- Water temperature sensor for supply temperature
- 3-way-mixing valve
- Motor drive
- Proportional pressure control
- Upgrade to heating/cooling possible

Application

- For weather compensated supply water temperature control
- Max. primary temperature: 90°C
- Max. secondary temperature: 55°C

Uponor Fluvia Move pump group MPG-10-A-W

1078306



Product code

Item no EAN	4021598130142
Item no GF	35001078306
Item no GTIN	04021598130142
Item no LVI	2025018
Item no NOBB	50575140
Item no NRF	8361062
Item no RSK	5363709

Dimensions

Item Unit Height	300
Item Unit Length	350
Item Unit Weight	4,5
Item Unit Width	100
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905469406
Packaging GTIN PL4	06414905500147
Packaging Height PL1	135
Packaging Height PL4	1500
Packaging Length PL1	355
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	30
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,017013375
Packaging Volume PL4	1,44
Packaging Weight PL1	4,55

Packaging Weight PL4	161,5
Packaging Width PL1	355
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com