


Uponor Vario ball valve, elbow Rp 3/4" - G1"

1086559

- Made of brass, nickel-plated



Application information Uponor Vario ball valve, elbow

Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

Application

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

Uponor Vario ball valve, elbow Rp 3/4" - G1"

1086559



Measurements

| | |
|--------------------|------|
| Cylindric_thread_G | 1 |
| Female thread Rp | 3/4 |
| Length (l1) | 31 |
| Length (l2) | 123 |
| Length (l3) | 51,5 |
| Outer Diameter_do | 33 |
| Z Measurement h | 42,5 |
| Z Measurement w | 60 |
| z1 | 22 |
| Z2 | 93 |
| Z3 | 32,5 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598135406 |
| Item no GF | 35001086559 |
| Item no GTIN | 04021598135406 |
| Item no LVI | 2024554 |
| Item no VVS | 046231320 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 130 |
| Item Unit Length | 95 |
| Item Unit Weight | 0,78 |
| Item Unit Width | 70 |
| Item_UOM | set |

Packaging

| | |
|----------------------|----------------|
| Packaging GTIN PL1 | 06414905232598 |
| Packaging Height PL1 | 130 |
| Packaging Length PL1 | 115 |

| | |
|------------------------|-----------|
| Packaging Quantity PL1 | 1 |
| Packaging Type PL1 | Base_Box |
| Packaging Volume PL1 | 0,0010465 |
| Packaging Weight PL1 | 0,788 |
| Packaging Width PL1 | 70 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com