

Uponor Smatrix Base timer I-143 Bus RAL9016

1086978

- set time start up wizard
 - holiday mode
 - comfort/ECO indication
 - manual H/C switchover function
 - 6 pre-programmed schedules
 - 1 freely programmable schedule
 - ECO setback value setting
 - clock reset
 - timer functions
 - Autobalancing de-/activation
 - backlight
 - displays software version on start-up
 - protection class: IP30
 - color: white glossy
- Consisting of:
- Uponor Smatrix Base timer I-143 Bus
 - mounting material



Application information Uponor Smatrix Base timer I-143 Bus

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- different wiring options (daisy chain / star)
- 4-wire Bus installation
- communication protocol: RS485 serial bus
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application

- wired room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Base timer I-143 Bus RAL9016

1086978

**Status**

Item Available Till date

2034-12-31T00:00:00.000+0100

Product code

Item no EAN	4021598149083
Item no GF	35001086978
Item no GTIN	04021598149083
Item no LVI	2024525
Item no NOBB	51166712
Item no NRF	8361077
Item no RSK	2987785
Item no VVS	466253040

Dimensions

Item Unit Height	25
Item Unit Length	80
Item Unit Weight	0,094
Item Unit Width	80
Item_UOM	pce

Measurements

LENGTH_L	80
Z Measurement h	25
Z Measurement w	80

Packaging

Packaging GTIN PL1	06414905284566
Packaging GTIN PL3	06414905284573
Packaging GTIN PL4	06414905284580
Packaging Height PL1	40
Packaging Height PL3	300
Packaging Height PL4	1500

Packaging Length PL1	100
Packaging Length PL3	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	75
Packaging Quantity PL4	1800
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036
Packaging Volume PL3	0,036
Packaging Volume PL4	1,44
Packaging Weight PL1	0,12
Packaging Weight PL3	9,82
Packaging Weight PL4	260,68
Packaging Width PL1	90
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com