


Uponor Smatrix Move PRO room sensor S-155

1087159

- room sensor
- measures room temperature
- for indoor heating and cooling zones with indoor compensation
- 2-wire connection to Uponor Smatrix Move PRO controller X-159
- sensor type: NTC10
- temperature range: 0°C ... +60°C
- protection class: IP20



Application information Uponor Smatrix Move PRO room sensor S-155

Specification

- multi-zone supply water temperature controls
- control up to 4 different supply water temperatures simultaneously
- intelligent auto heating/cooling changeover
- control snow/ice melting systems as well as turf heating
- integration with Smatrix Base PRO room controls possible
- optional connection to BMS via Modbus interface or R-147 KNX gateway (in combination with Smatrix Base PRO only)

Application


- supply water
- commercial buildings
- indoor and outdoor
- radiant heating and cooling
- domestic hot water
- heating only mode
- heating and cooling

Certification

- CE

Uponor Smatrix Move PRO room sensor S-155

1087159



Status

Item Available Till date

2027-12-31T00:00:00.000+0100

Product code

Item no EAN	4021598149359
Item no GTIN	04021598149359
Item no LVI	2024556
Item no NRF	8361099
Item no RSK	2987823
Item no VVS	466257040

Dimensions

Item Unit Height	30
Item Unit Length	80
Item Unit Weight	0,1
Item Unit Width	85
Item_UOM	pce

Measurements

LENGTH_L	80
Z Measurement h	30
Z Measurement w	85

Packaging

Packaging GTIN PL1	06414905440573
Packaging GTIN PL2	06414905442980
Packaging Height PL1	38
Packaging Height PL2	245
Packaging Length PL1	165
Packaging Length PL2	305
Packaging Quantity PL1	1
Packaging Quantity PL2	10

Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,0007524
Packaging Volume PL2	0,016065875
Packaging Weight PL1	0,2
Packaging Weight PL2	2,1
Packaging Width PL1	120
Packaging Width PL2	215

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.com