


## Uponor Aqua PLUS manifold clips PPM

1087375

- for PPM manifolds



### Application information Uponor Aqua PLUS manifold clips PPM

#### Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accessories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accessories can be used separately
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

#### Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

## Uponor Aqua PLUS manifold clips PPM

1087375



### Product code

Item no EAN	6414905237852
Item no GF	35001087375
Item no GTIN	06414905237852
Item no LVI	2072465
Item no NOBB	52864465
Item no NRF	5110158
Item no RSK	2054468
Item no VVS	087608850

### Dimensions

Item Unit Height	17
Item Unit Length	200
Item Unit Weight	0,028
Item Unit Width	100
Item_UOM	set

### Packaging

Packaging GTIN PL1	06414905232772
Packaging GTIN PL3	06414905271238
Packaging GTIN PL4	06414905632770
Packaging Height PL1	20
Packaging Height PL3	183
Packaging Height PL4	960
Packaging Length PL1	200
Packaging Length PL3	287
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	800

Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0006
Packaging Volume PL3	0,014600838
Packaging Volume PL4	0,9216
Packaging Weight PL1	0,05
Packaging Weight PL3	1,8
Packaging Weight PL4	95
Packaging Width PL1	150
Packaging Width PL3	278
Packaging Width PL4	800
<b>Measurements</b>	
Z Measurement h1	28
Z Measurement h2	50

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

E  
communications@georgfischer.  
com