


GF Uponor Smatrix Base wallframe Style T-149 A-14X

1087821

- T-149 surface adaptor for on-wall installation
- incl. mounting material
- color: white RAL9016



Application information GF Uponor Smatrix Base wallframe Style T-149 A-14X

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- different wiring options (daisy chain / star)
- 4-wire Bus installation
- communication protocol: RS485 serial bus
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application


- wired room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

GF Uponor Smatrix Base wallframe Style T-149 A-14X

1087821



Product code

Item no EAN	4021598149885
Item no GF	35001087821
Item no GTIN	04021598149885
Item no LVI	2025248
Item no NOBB	51974345
Item no NRF	8361251
Item no RSK	2987815
Item no VVS	466253070

Dimensions

Item Unit Height	11
Item Unit Length	77
Item Unit Weight	0,023
Item Unit Width	77
Item_UOM	pce

Measurements

LENGTH_L	77
Z Measurement h	11
Z Measurement w	77

Packaging

Packaging GTIN PL1	06414905630073
Packaging GTIN PL3	06414905285563
Packaging GTIN PL4	06414905630585
Packaging Height PL1	15
Packaging Height PL3	300
Packaging Height PL4	1500
Packaging Length PL1	100
Packaging Length PL3	400

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	90
Packaging Quantity PL4	2160
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00012
Packaging Volume PL3	0,036
Packaging Volume PL4	1,44
Packaging Weight PL1	0,027
Packaging Weight PL3	3,6
Packaging Weight PL4	111,4
Packaging Width PL1	80
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com