


Uponor Q&E valve U-shaped 20

1088571

- U-shaped shut-off valve made of brass with Q&E sealing profile.
- For Uponor PE-Xa Aqua Pipe, Radi Pipe, Combi Pipe, and Comfort Pipe PLUS.
- Compliant with Italian DM 174/2004.
- Q&E rings not included.



Application information Uponor Q&E valve U-shaped

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

Uponor Q&E valve U-shaped 20

1088571

**Product code**

Item no EAN	6414905238323
Item no GF	35001088571
Item no GTIN	06414905238323

Dimensions

Item Unit Height	86
Item Unit Length	74
Item Unit Weight	0,279
Item Unit Width	53.5
Item_UOM	pce

Measurements

LENGTH_L	74,7
Length (l1)	21
Length (l2)	36
Length (l3)	27
Z Measurement h	85,6
Z Measurement w	60
Z2	14

Packaging

Packaging GTIN PL1	06414905233717
Packaging GTIN PL2	06414905270637
Packaging GTIN PL3	06414905271603
Packaging GTIN PL4	06414905274611
Packaging Height PL1	20
Packaging Height PL2	150
Packaging Height PL3	305
Packaging Height PL4	1160
Packaging Length PL1	150

Packaging Length PL2	120
Packaging Length PL3	265
Packaging Length PL4	120
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL3	60
Packaging Quantity PL4	1440
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00054
Packaging Volume PL2	0,00432
Packaging Volume PL3	0,03152175
Packaging Volume PL4	0,11136
Packaging Weight PL1	0,282
Packaging Weight PL2	2,92
Packaging Weight PL3	17,73
Packaging Weight PL4	450,52
Packaging Width PL1	180
Packaging Width PL2	240
Packaging Width PL3	390
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com