

Uponor S-Press valve U-shaped 25

1089026

- Made of brass
- Contoured Aluminium-sleeve
- Fast 3-step installation (press without bevel)
- Colour code
- For cold and hot tap water application



Application information Uponor S-Press valve U-shaped

Specification

- with fixed press sleeve
- stop ring
- test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- if not different mentioned:
Male and female threads acc.to EN 10226-1.

Certification

- Approvals by local OM.
E.g.
 - DVGW
 - AENOR

Uponor S-Press valve U-shaped 25

1089026

**Status**

Item Available Till date

2026-12-31T00:00:00.000+0100

Product code

Item no EAN	6414905212446
-------------	---------------

Item no GF	35001089026
------------	-------------

Item no GTIN	06414905212446
--------------	----------------

Dimensions

Item Unit Height	90
------------------	----

Item Unit Length	67.5
------------------	------

Item Unit Weight	0,424
------------------	-------

Item Unit Width	103
-----------------	-----

Item_UOM	pce
----------	-----

Measurements

LENGTH_L	106
----------	-----

Length (l1)	35,5
-------------	------

Length (l2)	50
-------------	----

Length (l3)	35,5
-------------	------

Z Measurement h	91,6
-----------------	------

Z Measurement w	74
-----------------	----

Z2	19,7
----	------

Packaging

Packaging GTIN PL1	06414905235124
--------------------	----------------

Packaging GTIN PL2	06414905270651
--------------------	----------------

Packaging GTIN PL3	06414905271733
--------------------	----------------

Packaging GTIN PL4	06414905276059
--------------------	----------------

Packaging Height PL1	90
----------------------	----

Packaging Height PL2	150
----------------------	-----

Packaging Height PL3	305
----------------------	-----

Packaging Height PL4	1160
Packaging Length PL1	150
Packaging Length PL2	120
Packaging Length PL3	265
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5
Packaging Quantity PL3	30
Packaging Quantity PL4	720
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00243
Packaging Volume PL2	0,00432
Packaging Volume PL3	0,03152175
Packaging Volume PL4	1,1136
Packaging Weight PL1	0,427
Packaging Weight PL2	2,235
Packaging Weight PL3	13,62
Packaging Weight PL4	351,88
Packaging Width PL1	180
Packaging Width PL2	240
Packaging Width PL3	390
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com