


Uponor Tacker roll EPS DES 30-2mm 10x1m

1090924

- EPS thermal insulation panel roll
- Grid marking 100x100mm on textile



Application information Uponor Tacker roll EPS DES

Specification

- Tacker underfloor heating panel system, consists of tear-resistant fabric foil laminated onto EPS according to EN 13163 and DIN 4108-10.
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- foil on the panel is printed with 100x100mm grid pattern

Application

- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 7F077-F, 7F185-F, 7F216-F, 7F278-F

Uponor Tacker roll EPS DES 30-2mm 10x1m

1090924



Product code

Item no EAN	6414905221899
Item no GF	35001090924
Item no GTIN	06414905221899
Item no NRF	8361269

Dimensions

Item Unit Height	30
Item Unit Length	1000
Item Unit Weight	0,484
Item Unit Width	1000
Item_UOM	m ²

Measurements

LENGTH_L	10000
Z Measurement b	1030
Z Measurement b1	1000
Z Measurement b2	1000
Z Measurement h	30

Packaging

Packaging GTIN PL1	06414905269228
Packaging GTIN PL4	06414905277063
Packaging Height PL1	300
Packaging Height PL4	2590
Packaging Length PL1	1050

Packaging Length PL4	1050
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE
Packaging Quantity PL1	10
Packaging Quantity PL4	80
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,315
Packaging Volume PL4	2,7195
Packaging Weight PL1	5,5
Packaging Weight PL4	64
Packaging Width PL1	1000
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
--------------------------	--------------------------

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com