


Uponor Smatrix Base starter set Pulse S

1093280

- ready-to-use carefree package with basic system setup for appartments
- extendable on demand
- compatible to Uponor Smatrix Base controller Pulse X-245 Bus 6X
- protection class: Class II IP20
- color: white
- Consisting of:
- 1x Uponor Smatrix com Pulse R-208
- 1x Uponor Smatrix Base controller Pulse X-245 Bus 6X
- 3x Uponor Smatrix Base thermostat D+RH Style T-149 Bus
- first step instructions, safety instructions
- mounting material



Application information Uponor Smatrix Base starter set Pulse S

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- different wiring options (daisy chain / star)
- 4-wire Bus installation
- communication protocol: RS485 serial bus
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application


- wired room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Base starter set Pulse S

1093280

**Product code**

Item no EAN	6414905229215
Item no GF	35001093280
Item no GTIN	06414905229215
Item no VVS	466253301

Dimensions

Item Unit Height	80
Item Unit Length	370
Item Unit Weight	1,6920
Item Unit Width	240
Item_UOM	set

Measurements

LENGTH_L	370
Z Measurement h	80
Z Measurement w	240

Packaging

Packaging GTIN PL1	06414905441686
Packaging GTIN PL2	06414905443437
Packaging GTIN PL4	06414905504091
Packaging Height PL1	80
Packaging Height PL2	300
Packaging Height PL4	1044
Packaging Length PL1	370
Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	3
Packaging Quantity PL4	72

Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,007104
Packaging Volume PL2	0,036
Packaging Volume PL4	1,00224
Packaging Weight PL1	2,2930
Packaging Weight PL2	7,6000
Packaging Weight PL4	207,4000
Packaging Width PL1	240
Packaging Width PL2	300
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com