


GF Uponor Smatrix Base starter set Pulse L

1093282

- ready-to-use carefree package with basic system setup for single family homes
- extendable on demand
- compatible to Uponor Smatrix Base controller Pulse X-245 Bus 6X
- protection class: Class II IP20
- color: white

- Consisting of:

- 1x Uponor Smatrix com Pulse R-208
- 2x Uponor Smatrix Base controller Pulse X-245 Bus 6X
- 5x Uponor Smatrix Base thermostat D+RH Style T-149 Bus
- first step instructions, safety instructions
- mounting material



Application information GF Uponor Smatrix Base starter set Pulse L

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- different wiring options (daisy chain / star)
- 4-wire Bus installation
- communication protocol: RS485 serial bus
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application


- wired room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

GF Uponor Smatrix Base starter set Pulse L

1093282

**Product code**

Item no EAN	6414905229222
Item no GF	35001093282
Item no GTIN	06414905229222
Item no VVS	466253302

Dimensions

Item Unit Height	140
Item Unit Length	385
Item Unit Weight	3,2860
Item Unit Width	285
Item_UOM	set

Measurements

LENGTH_L	385
Z Measurement h	140
Z Measurement w	285

Packaging

Packaging GTIN PL1	06414905441709
Packaging GTIN PL2	06414905478002
Packaging GTIN PL4	06414905478019
Packaging Height PL1	140
Packaging Height PL2	300
Packaging Height PL4	1044
Packaging Length PL1	385
Packaging Length PL2	600
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL4	24

Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0153615
Packaging Volume PL2	0,072
Packaging Volume PL4	1,00224
Packaging Weight PL1	4,3600
Packaging Weight PL2	9,3000
Packaging Weight PL4	136,6000
Packaging Width PL1	285
Packaging Width PL2	400
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com