


## Uponor Vario cabinet IW 1000x730x110mm

**1093476**

- Complete cabinet with frame and door for in-wall installation
- Depth: 110mm, extendable to 150mm
- Height adjustable: 730 - 930mm
- Floor construction height: max. 200mm
- Material: galvanized steel
- White powder coated frame and door (RAL 9016)
- Lockable door



### Application information Uponor Vario cabinet IW

#### Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

#### Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

## Uponor Vario cabinet IW 1000x730x110mm

1093476



### Product code

Item no EAN	6414905229727
Item no GF	35001093476
Item no GTIN	06414905229727

### Dimensions

Item Unit Height	758
Item Unit Length	1055
Item Unit Weight	14,26
Item Unit Width	124
Item_UOM	pce

### Measurements

LENGTH_L	1055
Length (l1)	1000
Length (l2)	988,6
Z Measurement b	650
Z Measurement b1	572,2
Z Measurement b2	107,5
Z Measurement h1	110
Z Measurement h2	150
Z Measurement w	930
Z Measurement w1	730

### Packaging

Packaging GTIN PL1	06414905282579
Packaging GTIN PL4	06414905664955
Packaging Height PL1	790
Packaging Height PL4	1790
Packaging Length PL1	145
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL4	12
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,123714
Packaging Volume PL4	1,7184
Packaging Weight PL1	16,64
Packaging Weight PL4	219
Packaging Width PL1	1080
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com