


Uponor Magna manifold segment with valve 2x25

1121536

- For connection with additional segments and basic kit
- Supply-segment with control valves for preadjustment
- Return-segment with thermostat upper section incl. cap for locking
- Uponor actuator can be mounted directly on the return
- Heating loop connection for PE-Xa Pipe 25x2,3 with compression adapter



Application information Uponor Magna manifold segment with valve

Specification


- Magna industrial heating system
- Loops 2-5 6-9 10-14 15-19 20
- Bracket 2 3 4 5 6
- Spacing outlet 100 mm

Application

- industrial and commercial large surface heating
- for use inside concrete
- max. 20 loops
- max. pressure: 6 bar at 60°C

Uponor Magna manifold segment with valve 2x25

1121536



Product code

Item no EAN	6414905660414
Item no GF	35001121536
Item no GTIN	06414905660414
Item no LVI	2022189
Item no NRF	8601847
Item no RSK	2989121
Item no VVS	046253211

Dimensions

Item Unit Height	169
Item Unit Length	226
Item Unit Weight	1,322
Item Unit Width	112
Item_UOM	pce

Measurements

LENGTH_L	225
Length (l1)	200
Length (l2)	62
Length (l3)	51
Z Measurement b	100
Z3	51

Packaging

Packaging GTIN PL1	06414905663149
Packaging GTIN PL4	06414905663446
Packaging Height PL1	175
Packaging Height PL4	900
Packaging Length PL1	235
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL4	90
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,004935
Packaging Volume PL4	0,864
Packaging Weight PL1	1,392
Packaging Weight PL4	149,28
Packaging Width PL1	120
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com