



Uponor Q&E adapter female LF 20xRp1/2" BSP

1126810

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



Application information Uponor Q&E adapter female LF

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned



Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

Uponor Q&E adapter female LF 20xRp1/2" BSP

1126810



Measurements

Female thread Rp	1/2
LENGTH_L	43
Length (l1)	15
Length (l2)	22
Z	6

Product code

Item no EAN	6414905672899
Item no GF	35001126810
Item no GTIN	06414905672899

Dimensions

Item Unit Height	27
Item Unit Length	44
Item Unit Weight	0,086
Item Unit Width	30
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900305457
Packaging GTIN PL3	06414900322263
Packaging GTIN PL4	06414900379946
Packaging Height PL1	26
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	80
Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20

Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	180
Packaging Quantity PL4	9720
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001664
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,43
Packaging Weight PL3	14,1
Packaging Weight PL4	786
Packaging Width PL1	80
Packaging Width PL3	200
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com