


## Uponor Q&E adapter male LF 16xR3/4" BSP

1126815

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



### Application information Uponor Q&E adapter male LF

#### Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


#### Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

## Uponor Q&E adapter male LF 16xR3/4" BSP

1126815



### Product code

Item no EAN	6414905672851
Item no GF	35001126815
Item no GTIN	06414905672851

### Dimensions

Item Unit Height	27
Item Unit Length	42
Item Unit Weight	0,069
Item Unit Width	31
Item_UOM	pce

### Measurements

LENGTH_L	43
Length (l1)	12,7
Length (l2)	18
Male_thread_R	3/4
z1	12,3

### Packaging

Packaging GTIN PL1	06414900305563
Packaging GTIN PL3	06414900322300
Packaging GTIN PL4	06414900379984
Packaging Height PL1	27
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	80
Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20

Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	150
Packaging Quantity PL4	8100
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001728
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,345
Packaging Weight PL3	11,1
Packaging Weight PL4	624
Packaging Width PL1	80
Packaging Width PL3	200
Packaging Width PL4	1000

## Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)