


## Uponor Q&E BP-elbow LF Male 16x1/2" BSP L=65mm

**1126841**

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



### Application information Uponor Q&E BP-elbow LF

#### Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


#### Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

## Uponor Q&E BP-elbow LF Male 16x1/2" BSP L=65mm

1126841



### Measurements

Cylindric_thread_G	1/2
LENGTH_L	65
Length (l1)	36
Length (l2)	15
Length (l3)	50
Z Measurement k	32
z1	18

### Product code

Item no EAN	6414905673278
Item no GF	35001126841
Item no GTIN	06414905673278

### Dimensions

Item Unit Height	41
Item Unit Length	65
Item Unit Weight	0,104
Item Unit Width	61
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900306065
Packaging GTIN PL3	06414900322447
Packaging GTIN PL4	06414900380164
Packaging Height PL1	41
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	120
Packaging Length PL3	320
Packaging Length PL4	1200

Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	80
Packaging Quantity PL4	4320
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0005904
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,52
Packaging Weight PL3	9,5
Packaging Weight PL4	538
Packaging Width PL1	120
Packaging Width PL3	200
Packaging Width PL4	1000

## Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)