


Uponor Q&E BP-elbow LF Male 16x1/2" BSP L=90mm

1126842

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



Application information Uponor Q&E BP-elbow LF

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

Uponor Q&E BP-elbow LF Male 16x1/2" BSP L=90mm

1126842



Measurements

Cylindric_thread_G	1/2
LENGTH_L	90
Length (l1)	36
Length (l2)	15
Length (l3)	75
Z Measurement k	32
z1	18,5

Product code

Item no EAN	6414905673056
Item no GF	35001126842
Item no GTIN	06414905673056

Dimensions

Item Unit Height	41
Item Unit Length	90
Item Unit Weight	0,139
Item Unit Width	63
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900306072
Packaging GTIN PL3	06414900372114
Packaging GTIN PL4	06414900372121
Packaging Height PL1	41
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	120
Packaging Length PL3	320
Packaging Length PL4	1200

Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	90
Packaging Quantity PL4	4860
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0005904
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,695
Packaging Weight PL3	12,8
Packaging Weight PL4	716
Packaging Width PL1	120
Packaging Width PL3	200
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com