
# Product data sheet




# GF Uponor Q&E copper soldering adapter LF 20xDN20

## 1126850

- Made of leadfree Brass






## Application information GF Uponor Q&E copper soldering adapter LF

### Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


### Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

# GF Uponor Q&E copper soldering adapter LF 20xDN20

## 1126850






### Product code

| | |
|---|---|
| Item no EAN | 6414905673032 |
| Item no GF | 35001126850 |
| Item no GTIN | 06414905673032 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 25.5 |
| Item Unit Length | 38.5 |
| Item Unit Weight | 0,046 |
| Item Unit Width | 25.5 |
| Item_UOM | pce |

### Measurements

| | |
|---|---|
| LENGTH_L | 38,5 |
| Length (l1) | 13,5 |
| Length (l2) | 22 |
| z1 | 3 |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414900306263 |
| Packaging GTIN PL3 | 06414900425643 |
| Packaging GTIN PL4 | 06414900425650 |
| Packaging Height PL1 | 26 |
| Packaging Height PL3 | 170 |
| Packaging Height PL4 | 680 |
| Packaging Length PL1 | 100 |
| Packaging Length PL3 | 320 |
| Packaging Length PL4 | 1200 |
| Packaging Material (number) PL1 | 4 |

| | |
|---|---|
| Packaging Material (number) PL3 | 20 |
| Packaging Material PL1 | Low density polyethylene |
| Packaging Material PL3 | Corrugated fibreboard |
| Packaging Material (short) PL1 | LDPE |
| Packaging Material (short) PL3 | PAP |
| Packaging Quantity PL1 | 5 |
| Packaging Quantity PL3 | 275 |
| Packaging Quantity PL4 | 14850 |
| Packaging Type PL1 | Plastic_Bag |
| Packaging Type PL3 | Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00026 |
| Packaging Volume PL3 | 0,01088 |
| Packaging Volume PL4 | 0,816 |
| Packaging Weight PL1 | 0,23 |
| Packaging Weight PL3 | 13,2 |
| Packaging Weight PL4 | 738 |
| Packaging Width PL1 | 100 |
| Packaging Width PL3 | 200 |
| Packaging Width PL4 | 1000 |

## Technical data

| | |
|---|---|
| Recycling Text Block PL1 | Low density polyethylene |
| Recycling Text Block PL3 | Corrugated fibreboard |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+