
Product data sheet




GF Uponor Q&E copper soldering adapter LF 25xDN25

1126851

- Made of leadfree Brass





Application information GF Uponor Q&E copper soldering adapter LF

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E copper soldering adapter LF 25xDN25

1126851





Product code

Item no EAN	6414905673254
Item no GF	35001126851
Item no GTIN	06414905673254

Dimensions

Item Unit Height	30
Item Unit Length	39
Item Unit Weight	0,067
Item Unit Width	30
Item_UOM	pce

Measurements

LENGTH_L	43,5
Length (l1)	13,5
Length (l2)	27
z1	3

Packaging

Packaging GTIN PL1	06414900306270
Packaging GTIN PL3	06414900379793
Packaging GTIN PL4	06414900380232
Packaging Height PL1	30
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	100
Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4

Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	150
Packaging Quantity PL4	8100
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0003
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,385
Packaging Weight PL3	11,65
Packaging Weight PL4	654,1
Packaging Width PL1	100
Packaging Width PL3	200
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+