


Uponor Q&E copper press adapter LF 16xDN15

1126852

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



Application information Uponor Q&E copper press adapter LF

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned




Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

Uponor Q&E copper press adapter LF 16xDN15

1126852



Product code

Item no EAN	6414905673100
Item no GF	35001126852
Item no GTIN	06414905673100

Dimensions

Item Unit Height	20.5
Item Unit Length	43
Item Unit Weight	0,033
Item Unit Width	20.5
Item_UOM	pce

Measurements

LENGTH_L	43
Length (l1)	20
Length (l2)	18
z1	5

Packaging

Packaging GTIN PL1	06414900306287
Packaging GTIN PL3	06414900364928
Packaging GTIN PL4	06414900425681
Packaging Height PL1	21
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	80
Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene

Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	400
Packaging Quantity PL4	21600
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001344
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,165
Packaging Weight PL3	13,6
Packaging Weight PL4	776
Packaging Width PL1	80
Packaging Width PL3	200
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com