
Product data sheet




GF Uponor Q&E elbow adapter male LF 25xG3/4" BSP

1126871

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately





Application information GF Uponor Q&E elbow adapter male LF

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E elbow adapter male LF 25xG3/4" BSP

1126871





Measurements

Cylindric_thread_G	3/4
Length (l1)	37
Length (l2)	46
z1	20
Z2	19

Product code

Item no EAN	6414905673629
Item no GF	35001126871
Item no GTIN	06414905673629

Dimensions

Item Unit Height	51.5
Item Unit Length	60.5
Item Unit Weight	0,149
Item Unit Width	29
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900306317
Packaging GTIN PL3	06414900364959
Packaging GTIN PL4	06414900380256
Packaging Height PL1	51.5
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	120
Packaging Length PL3	320
Packaging Length PL4	1200

Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	100
Packaging Quantity PL4	5400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0007416
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,0816
Packaging Weight PL1	0,795
Packaging Weight PL3	16
Packaging Weight PL4	889
Packaging Width PL1	120
Packaging Width PL3	200
Packaging Width PL4	100

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+