


Uponor Vario ball valve w. swivel nut NP G1-G1

1135295

- ball valve with swivel nut to connect directly to the manifold
- for stainless steel Vario C manifold without primary connection



Application information Uponor Vario ball valve w. swivel nut NP

Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

Application

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

Uponor Vario ball valve w. swivel nut NP G1-G1

1135295



Product code

Item no EAN	6414900366465
Item no GF	35001135295
Item no GTIN	06414900366465

Dimensions

Item Unit Height	46
Item Unit Length	82
Item Unit Weight	0,87
Item Unit Width	78
Item_UOM	set

Measurements

LENGTH_L	82
Length (l1)	13,5
Length (l2)	10

Packaging

Packaging GTIN PL1	06414900309578
Packaging GTIN PL3	06414900309745
Packaging GTIN PL4	06414900309684
Packaging Height PL1	75
Packaging Height PL3	110
Packaging Height PL4	562
Packaging Length PL1	90
Packaging Length PL3	485
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	600
Packaging Type PL1	Base_Box

Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0006075
Packaging Volume PL3	0,012804
Packaging Volume PL4	0,53952
Packaging Weight PL1	0,92
Packaging Weight PL3	14,10
Packaging Weight PL4	579
Packaging Width PL1	90
Packaging Width PL3	240
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com