


Uponor Vario cabinet OW 750x730x135

1136217

- Cabinet with door for on-wall installation
- Galvanised steel, white powder coated (RAL 9016)
- Without rear board
- Lockable door with coin lock



Application information Uponor Vario cabinet OW

Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

Uponor Vario cabinet OW 750x730x135

1136217



Product code

Item no EAN	6414900422772
Item no GF	35001136217
Item no GTIN	06414900422772

Dimensions

Item Unit Height	730
Item Unit Length	750
Item Unit Weight	7,78
Item Unit Width	138
Item_UOM	pce

Measurements

LENGTH_L	750
Length (l1)	689
Z Measurement b1	572
Z Measurement h	135
Z Measurement w	730

Packaging

Packaging GTIN PL1	06414900308007
Packaging GTIN PL4	06414900310659
Packaging Height PL1	760
Packaging Height PL4	1830
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	15
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,08892

Packaging Volume PL4	1,7568
Packaging Weight PL1	9,25
Packaging Weight PL4	158
Packaging Width PL1	780
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com