

Uponor Base condensation set S-80 230V

1140221

- Condensation set suited for condensation control

- Functions:


- evaluates received dew point information and activates integrated contact when dew point is reached
- supports up to 5 dew point sensors
- sensor suited for installation in plastered ceilings/walls or cold-water pipe conduits
- recommended condensation set for X-80 for cooling applications

- Options:

- installation on external DIN rail
- operating voltage: 230V / 50-60 Hz

- Consisting of:

- 230V converter dew point
- Sensor dew point



Application information Uponor Base condensation set S-80

Specification

- 230V standard wiring
- common wiring method and controls logic
- easy integration to standard on/off time control
- optional: pump logic

Application


- wired room temperature control for radiant heating

Certification

- CE, UKCA

Uponor Base condensation set S-80 230V

1140221



Status

Item Available From date 2024-01-01

Product code

Item no EAN 6414900438551

Item no GF 35001140221

Item no GTIN 06414900438551

Item no LVI 2022279

Dimensions

Item Unit Height 51

Item Unit Length 135

Item Unit Weight 0,193

Item Unit Width 100

Item_UOM pce

Measurements

LENGTH_L 135

Z Measurement h 51

Z Measurement w 100

Packaging

Packaging GTIN PL1 06414900383950

Packaging GTIN PL2 06414900383967

Packaging Height PL1 86

Packaging Height PL2 155

Packaging Length PL1 145

Packaging Length PL2 495

Packaging Quantity PL1 1

Packaging Quantity PL2 20

Packaging Type PL1 Base_Box

Packaging Type PL2 Medium_Box

Packaging Volume PL1	0,001247
Packaging Volume PL2	0,0352935
Packaging Weight PL1	0,250
Packaging Weight PL2	5,500
Packaging Width PL1	100
Packaging Width PL2	460

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com