

GF Silenta Premium pipe with single socket 58-1000mm

1146185

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 58-1000mm

1146185



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652132785
Item no GF	4401005801321
Item no GTIN	08698652132785
Item no VVS	186811100

Dimensions

Item Unit Height	58
Item Unit Length	1000
Item Unit Weight	1,235
Item Unit Width	58
Item_UOM	pce

Measurements

LENGTH_L	1000
Z Measurement d	73,2
Z Measurement d1	58
Z Measurement e	4,1

Packaging

Packaging GTIN PL1	06414900552998
Packaging GTIN PL4	06414900118194
Packaging Height PL1	58
Packaging Height PL4	498
Packaging Length PL1	1000
Packaging Length PL4	125
Packaging Quantity PL1	1
Packaging Quantity PL4	114
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,003364
Packaging Volume PL4	0,00735795
Packaging Weight PL1	1,235
Packaging Weight PL4	149,422
Packaging Width PL1	58
Packaging Width PL4	118.2

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com