


GF Silenta Premium pipe with single socket 58-2000mm

1146186

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 58-2000mm

1146186



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652132792

Item no GF 4401005801421

Item no GTIN 08698652132792

Item no VVS 186811200

Dimensions

Item Unit Height 58

Item Unit Length 2000

Item Unit Weight 2,361

Item Unit Width 58

Item_UOM pce

Measurements

LENGTH_L 2000

Z Measurement d 58

Z Measurement d1 58,5

Z Measurement DD 72,7

Z Measurement e 4

Z Measurement L1 44,3

Z Measurement LB 2047,8

Packaging

Packaging GTIN PL1 06414900553001

Packaging GTIN PL4 06414900118187

Packaging Height PL1 58

Packaging Height PL4 498

Packaging Length PL1 2000

Packaging Length PL4 225

Packaging Quantity PL1	1
Packaging Quantity PL4	114
Packaging Type PL1	Piece
Packaging Type PL4	Pallet
Packaging Volume PL1	0,006728
Packaging Volume PL4	0,01324431
Packaging Weight PL1	2,361
Packaging Weight PL4	280,864
Packaging Width PL1	58
Packaging Width PL4	118.2

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com