


GF Silenta Premium pipe with single socket 78-2000

1146201

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 78-2000

1146201

**Status**

Item Available From date

2026-02-01

Product code

Item no EAN 8698652132877

Item no GF 4401007805421

Item no GTIN 08698652132877

Item no VVS 186812200

Dimensions

Item Unit Height 78

Item Unit Length 2000

Item Unit Weight 3,963

Item Unit Width 78

Item_UOM pce

Measurements

LENGTH_L 2000

Z Measurement d 93,9

Z Measurement d1 78

Z Measurement e 4,6

Packaging

Packaging GTIN PL1 06414900552882

Packaging GTIN PL4 06414900277600

Packaging Height PL1 78

Packaging Height PL4 514

Packaging Length PL1 2000

Packaging Length PL4 1172

Packaging Quantity PL1 1

Packaging Quantity PL4 70

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,012168
Packaging Volume PL4	1,279514592
Packaging Weight PL1	3,963
Packaging Weight PL4	277,41
Packaging Width PL1	78
Packaging Width PL4	2124

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com